



Manufacturers of Calcium Carbonate





White, Natural and easy to disperse calcium powder. This product is the result of high purity and white limestone/Calcite powder.

Examination	Specification
Batch No.	In House
Batch Size in MT	In House
Colour	White
Odor	Odourless
Texture	Grit Free Powder
Identification	As Per IP/BP/USP
Taste	Chalky Characteristic
Fineness thru 325 ret.	0 to 0.50%
Apparent Density	0.70 to 0.85 gms/cc
Assay	98.0 to 100.5 %
Abs.Water(Flow Point)	13.0 to 18.5 ml/ 15 g
Meigon Test	To pass test
pH 10% slurry	9.00 to 10.50
Alkalinity as Na2O	0 - 0.15%
Magnesium content	0.30% Max.
Al, Fe,Phosphate & Matter Insolluble in Dil. HCl	0.50% Max.
Barium	To pass test
Iron	200 ppm Max.
Arsenic as AS2O3	4 ppm Max.
Heavy metals	20 ppm Max.
Chloride	400 ppm Max.
Sulphates	To pass test
Loss on Drying	2.0 % Max.
Total Aerobic Count	500 cfu/gm
Yeast and Fungi(Mold)	500 cfu/gm
Gram negative Bacilli	Negative to test <10 cfu/gm
Staphylococcus Aureus	Negative to test <10 cfu/gm

Note: The above values are based on measurements carried out according to our quality management systems.





Applications -







Printing Ink



Adhesive



Rubber



Paper



Construction Chemicals

CONTACT US -

Registered Office: Neco Chambers, Off No. 404/405, Plot No. 48, Sector-11, CBD Belapur, Navi Mumbai - 400614.

Corporate Office: Lime chemicals ltd, 21/22 Regency chambers, N.L.Road, NEAR Nandi Cinema, Bandra West, Mumbai - 400050

Mobile: +91-99876 83652

Tel: 62360356

Email: esales@limechem.com

Website: www.limechem.com

