



DICAL – C15

UNCOATED CALCIUM CARBONATE
IMPORTED QUALITY PRODUCT FROM VIETNAM



Our Calcium Carbonate powder is manufactured from white and pure crystalline limestone/calcium carbonate; produced by the latest advanced technology production lines, and is used for various applications; Paint, Plastic Pvc, Paper, ...etc.

GRADE	TOP CUT(D97)	PARTICLE SIZE(D50)	MESH SIZE
DICAL-C15	15 ±2 μm	3.5 ± 0.5 μm	1000

CHEMICAL COMPONENT		PHYSICAL CHARACTERISTIC	
CaCO ₃	≥ 98 %	DRY BRIGHTNESS	≥ 97 %
MgO	≤ 0.20 %	WHITENESS	≥ 98 %
Fe ₂ O ₃	≤ 0.03 %	MOISTURE	≤ 0.25 %
Al ₂ O ₃	≤ 0.04 %	PROPORTION	1.2 g/cm ³
SiO ₂	≤ 0.04 %	OIL ABSORPTION	23g/100g CaCO ₃
Na ₂ O	≤ 0.16 %	LOSS ON IGNITION	≤ 43.08 %
		Coating % Stearic Acid	1-1.2

Note: The above values are based on measurements carried out according to our quality management systems.



Applications -



Paint



Printing Ink



Adhesive



Rubber



Paper



Construction Chemicals

CONTACT US -

Registered Office: Neco Chambers, Off No. 404/405, Plot No. 48, Sector-11, CBD Belapur, Navi Mumbai - 400614.

Corporate Office: Lime chemicals ltd, 21/22 Regency chambers, N.L.Road, NEAR Nandi Cinema, Bandra West, Mumbai - 400050

Mobile: +91-99876 83652

Tel: 62360356

Email: esales@limechem.com

Website: www.limechem.com

