



DICAL – SV (ULTRA)

UNCOATED CALCIUM CARBONATE
IMPORTED QUALITY PRODUCT FROM VIETNAM





White, Natural and easy to disperse calcium powder. This product is the result of high purity and white limestone/Calcite powder.

Parameters	Specifications
CaCO ₃ %	99.46 Min.
Whiteness %	≥99.00 Min
Brightness %	98.00 Min
Bulk Density (Tapped)	0.85g/ml
HCL Insoluble content	<0.50 %
Oil Absorption	28g/100g
Moisture Content	0.10 % Max
DOP Absorption	25g/100g
Ph	8-9
Particle Size D97	8.00 ± 1μm
D50	1.30 ±0.5μm
Hardness(Mohs)	3
Fe ₂ O ₃	0.01
Sio ₂	0.03% Max.
MgCo ₃	0.02% Max.

Note: The above values are based on measurements carried out according to our quality management systems.



Applications -



Paint



Printing Ink



Adhesive



Rubber



Paper



Construction Chemicals

CONTACT US -

Registered Office: Neco Chambers, Off No. 404/405, Plot No. 48, Sector-11, CBD Belapur, Navi Mumbai - 400614.

Corporate Office: Lime chemicals ltd, 21/22 Regency chambers, N.L.Road, NEAR Nandi Cinema, Bandra West, Mumbai - 400050

Mobile: +91-99876 83652

Tel: 62360356

Email: esales@limechem.com

Website: www.limechem.com

